

## **EU-TYPE EXAMINATION CERTIFICATE**



The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.

Certificate N° 0075/2085/162/03/20/0842

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment:

Manufacturer: Portwest UC

IDA Industrial Park Westport Co Mayo, F28 FY88

Ireland

**Description** 

PPE Type: protective glove against mechanical risks, thermal risks

**Product reference:** A611

Article code : /

Glove description: 10G black polyester + aramid glove core, dipped in blue latex, wrinkle

coating, coating on the thumb

Available sizes: 7/S 8/M 9/L 10/XL 11/XXL 12/XXXL

Pictures:





PO:XXXXXX Portwest UC IDA Industrial Park, Westport, Co Mayo, Ireland, F28 FY88

Reference standard:

Levels of performance / class of protection

EN 420:2003+A1:2009

EN 388:2016 + A1:2018

3 X 4 3 D

« X »indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.

EN 407:2004 X 2 X X X X

At the date of certificate the product is in compliance with Annex XVII of REACh regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file and the Instruction for Use index 01 dated from March 2020

NOTA: Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425. Any marking on the PPE which is not concerned by the Regulation (UE) 2016/425, is not covered by this certificate.

Issued in Lyon by Didier GUISADO

Certification and Quality Manager

Guipats



Date of first issue: 16 March 2020 End of validity date: 16 March 2025











## **Portwest UC**

# MANUFACTURER'S TECHNICAL FILE TO THE PPE REGULATION 2016/425

Reference of the product : A611

Article code : /

Technical file index : 01

Last update : March 2020

## **IDENTIFICATION**

Reference of the product : : A611 Article code : : /

Basic Model

Technical file index: : 01

Last update : : March 2020

## **Manufacturer:**

Portwest UC

IDA Industrial Park Westport Co Mayo, F28 FY88

Ireland

tel: 003539826411

fax:

## Factory:

SHANDONG XINGYU GLOVES CO.,LTD

MIDDLE YAOQIAN ROAD CHAOYANG DISTRICT GAOMI CITY SHANDONG PROVINCE

**CHINA** 

tel: 0086-536-2587338 fax: 0086-536-2586328

## **GLOVE DESCRIPTION**

## **General glove description:**

10G black polyester + aramid glove core, dipped in blue latex, wrinkle coating, coating on the thumb type of coating finish: crinckle

## Visual description (picture back and palm sides) :



## Field of use

construction industry, machinery repairing, loading and unloading, automobile assembly for mechanical & thermal risk

Risk assessment (Essential Health and Safety Requirement. Annex II - PPE Regulation)			
		Applicable	Covered by
§1	Requirements defined in the Annex II §1 are applicable to all PPE	>	✓ Standard ✓ Instruction for use ✓ Marking
§1.4	Manufacturer's instructions and information is available	>	Standard Instruction for use Marking
§2.5	PPE which may be caught up during use	<	Standard Instruction for use Marking
§2.12	PPE bearing one or more identification markings or indicators directly or indirectly relating to health and safety	<	✓ Standard ✓ Instruction for use ✓ Marking
§2.14	Multi-risk PPE	<b>▽</b>	✓ Standard ✓ Instruction for use ✓ Marking
§3.3	The PPE is intended to protect against mechanical injuries	<b>▽</b>	✓ Standard ✓ Instruction for use ✓ Marking
§3.6	Protection against heat and/or fire	<b>▽</b>	✓ Standard ✓ Instruction for use ✓ Marking

## **Available sizes:**

Minimum length of glove (mm)	Sizes
230	7/S
240	8/M
250	9/L
260	10/XL
270	11/XXL
280	12/XXXL

## Glove constitution:

	Reference	Color	Material	Surfacic mass	Gauges	Thickness
		blue	latex	1235g/m2		2.19-2.32mm
Palm		black / yellow	polyester+aramid	636g/m2	10gauges / inch	
Back	Thumb back	blue	latex	1235g/m2		2.19-2.32mm
		black / yellow	polyester+aramid	636g/m2	10gauges / inch	
Cuff		black / yellow	polyester+aramid/elastic	829g/m2	10gauges / inch	
Binding		yellow / white / green / blue / red / black	polyester			

## PROTECTION SCOPE

This glove meets the essential requirements of the Personal Protective Equipment Regulation 2016/425. This glove is designed against mechanical risks, thermal risks. It is a category II product.

## **GENERAL REQUIREMENTS**

## Standard EN 420 : 2003 + A1 : 2009

Dexterity: 5 Size: conform

At the date of certificate the product is in compliance with Annex XVII of REACh regulation (n° 1907/2006

and revisions)

## SPECIFIC REQUIREMENTS AND PERFORMANCE LEVELS

## Mechanical hazard EN 388 : 2016 + A1 : 2018

Protection offered	Performance levels
Abrasion resistance	3
Blade cut resistance	X
Tear strength resistance	4
Puncture resistance	3
Cut Resistance method (EN ISO 13997)	D
Impact Protection	-

The levels of performance have been measured on the palm

## Thermal hazard EN 407: 2004

Protection offered	Performance levels
Burning behaviour	X
Contact heat	2
Convective heat	X
Radiant heat	X
Small splashes of molten metal	X
Large quantities of molten metal	X

<sup>«</sup> X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.

## **TEST REPORTS**

Laboratory	CTC	Other
EN 420 +	\$190910638_1 \$150906802_1 \$160605952_1 \$160302319_1 \$161112053_1 \$160302320_1 \$161112054_1 \$190100163_1(DMFu)	
EN 388	S190506947_1 S190910638_1	
EN 407	S190405447_1	

## **MARKING - PACKAGING**

## Information printed on the glove :

Logo of Manufacturer:

Logo (€

Glove's reference: A611

Article Code : /

Size indicator

Pictograms related to risks against which protection is offered with performance levels

Information pictogram
Address of Manufacturer:

Date of Manufacture (month/year) and/or Serial number :

## Marking example :



## Method of marking on the glove :

printed on the back

### Packaging:

1pair/bag 12pairs/ PE bag/instruction, 144pairs/carton

## PPE subject to ageing :

The design performance can not be significantly affect by ageing when stored in appropriate conditions (humidity, temperature, clean, ventilated, light).

#### Declaration of conformity:

Available with product.

## **MEANS OF CONTROL**

According to ISO 9001, random inspect abrasion for every batch, contact heat for every 5 years



#### **INSTRUCTION FOR USE**

PORTWEST.

CE CATH II

PO:XXXXXX

IDA Industrial Park, Westport,

Portwest UC

## Portwest UC

IDA Industrial Park Westport Co Mayo, F28 FY88

Ireland

Glove reference : A611 Article code: / User notice index : 01

Last update: March 2020

Available sizes: 7/S 8/M 9/L 10/XL 11/XXL 12/XXXL

## Glove description :

10G black polyester + aramid glove core, dipped in blue latex, wrinkle coating, coating on the thumb

THIS GLOVE IS A PERSONAL PROTECTIVE EQUIPMENT BELONGING TO THE CATEGORY II.

It meets the requirements of the PPE Regulation 2016/425 applicable from April 21th, 2018: innocuousness, comfort, solidity.

It has been subject to a UE-type Examination performed by :

C.T.C. (OO75) 4, rue Hermann Frenkel 69367 LYON Cedex 07 FRANCE

#### Applicable standards:

 $The glove meets the requirements of the standard EN 420: 2003 + A1: 2009 \\ \text{``General requirements for work glove ```. Dexterity: 5: 2009 \\ \text{``General requirements for work glove ```.} \\ Dexterity: 5: 2009 \\ \text{``General requirements for work glove ```.} \\ Dexterity: 5: 2009 \\ \text{``General requirements for work glove ```.} \\ Dexterity: 5: 2009 \\ \text{``General requirements for work glove ```.} \\ Dexterity: 5: 2009 \\ \text{``General requirements for work glove ```.} \\ Dexterity: 5: 2009 \\ \text{``General requirements for work glove ```.} \\ Dexterity: 5: 2009 \\ \text{``General requirements for work glove ```.} \\ Dexterity: 5: 2009 \\ \text{``General requirements for work glove ```.} \\ Dexterity: 5: 2009 \\ \text{``General requirements for work glove ```.} \\ Dexterity: 5: 2009 \\ \text{``General requirements for work glove ```.} \\ Dexterity: 5: 2009 \\ \text{``General requirements for work glove glo$ 

Moreover, this glove has been designed for the following applications :

Application :

Mechanical hazard - EN 388 : 2016 + A1:2018



3 X 4 3 D Levels of performance

Abrasion resistance	3	(on 4 maxi)
Blade cut resistance	X	(on 5 maxi)
Tear resistance	4	(on 4 maxi)
Puncture resistance	3	(on 4 maxi)
Cut Resistance method (EN ISO 13997)	D	(A to F)
Impact Protection		

<sup>«</sup> X »indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.

Application : Thermal risk - EN 407 2004



Levels of performance

Burning behaviour	Х	(on 4 maxi)
Contact heat	2	(on 4 maxi)
Convective heat	Х	(on 4 maxi)
Radiant heat	Х	(on 4 maxi)
Small splashes of molten metal	Х	(on 4 maxi)
Large quantities of molten metal	Х	(on 4 maxi)

#### Protection limit:

This glove shall not be in contact with fire.

Users should be warned that gloves should not be worn when there is a risk of entanglement by moving parts of machines.

This model does not contain any substances at levels that are known to, or suspected to, adversely affect user hygiene or health.

The protection against risks or hazards which are not mentioned in this document is not warranted.

The levels of performance mentioned are only valid for the palm of the glove  $\!.$ 

The levels of performance mentioned are only valid for new gloves, not washed, nor regenerated.

These levels of performance are obtained from the tests done according to conditions defined by the applicable standards.

This glove shall not be in contact with fire

Contains natural rubber latex, which could cause allergic reaction, including anaphylactic choc.

Before use, the glove shall be visually controlled, in case of deterioration the gloves must be scrapped (abrasion, cut, tear, ...).

For gloves with different layers of material, the performance levels are warranted only for the whole glove.

 $For gloves \textit{ with two or more layers the overall classification does not necessarily \textit{ reflect the performance of the outermost layer.} \\$ 

#### Storage and cleaning notice

Keep in its original packaging, under ordinary temperature and humidity conditions and in clean, covered and ventilated premises.

#### PPE subject to ageing :

The design performance can not be significantly affect by ageing when stored in appropriate conditions (humidity, temperature, clean, ventilated, light).

## Declaration of conformity:

Available with product.