

EC TYPE-EXAMINATION CERTIFICATE: 2827

Product description: - Fall Protection - Full Body Harness, Waist Belt and Full Body Harness Incorporated with Waist Belt

Product identification: - See Schedule

Manufacturer: - Portwest Clothing Ltd
Fields End Business Park, Thurnscoe,
South Yorkshire, S63 0JF,
England

When assessed and examined against harmonised standard EN361:2002 and EN358:1999 are found to be in conformity with Council Directive 89/686/EEC and associated amendments, relating to personal protective equipment.

And

Are manufactured under a Quality Control System which has been satisfactorily assessed as meeting the requirements of Article 11 Section B of the same Directive.

Signed

Date: 22nd December 2015

K J Warren, Manager, Certification Services


For and on behalf of INSPEC International Ltd.

56 Leslie Hough Way, Salford, Gt Manchester M6 6AJ, England (Notified Body No: 0194)

Certification remains valid until 22nd December 2020, providing compliance with INSPEC's terms and conditions is maintained.

Original date of issue: 22nd December 2015

For terms and conditions of issue, see page 2



Terms and Conditions

Reference Documents: -

- | | | | | |
|------|--------------------------|---|---|---------------|
| i) | Test Reports | - | } | Refer TF/2535 |
| ii) | Technical File | - | | |
| iii) | Test and Inspection Plan | - | | |

Conditions attached to the issue of this certificate:

- i) Marking and instructions have been assessed in the English language only. It is the Manufacturers/Authorised Representatives responsibility to obtain and supply language versions acceptable to the country where the product is to be sold.
- ii) Any changes to the product, technical file or quality manual/quality plan shall be immediately notified to INSPEC.
- iii) The Manufacturer/Authorised Representative shall comply at all times with INSPEC's Regulations governing CE Product Certification.
- iv) Satisfactory maintenance of independent certification against Article 11.B of the P.P.E. Directive.
- v) This Certificate remains the property of INSPEC and may be withdrawn if any of the conditions attached to its issue are not complied with.
- vi) This certificate may be copied or reproduced by the certificate holder, complete and without omissions or additions, and in accordance with INSPEC's terms of business.
- vii) This certificate has been provided in accordance with our standard Terms of Business, which can be viewed at, and printed from:

<http://inspec-international.com/ToB.pdf>

If you have difficulty accessing the Terms of Business, you may contact us for a copy.

CERTIFICATION INDEX

| Item | Status | Issued | Amendment |
|--------------|---------------|---------------|------------------|
| Pages 1 to 4 | Valid | 151222 | Initial issue |

CERTIFICATION SCHEDULE

Full body harness

| Model | Attachment points | Applicable standard(s) |
|--------------|--|--|
| FP11 | Dorsal D-ring | EN361:2002 |
| FP12 | Dorsal D-ring, Frontal chest loops | EN361:2002 EN361:2002 |
| FP13 | Dorsal D-ring Frontal D-ring Frontal chest loops | EN361:2002 EN361:2002 EN361:2002 |

Waist belt

| Model | Features | Applicable standard(s) |
|--------------|--|-------------------------------|
| FP08 | Side rings on waist belt Length of waist belt = 1230 mm Length of back support= 675 mm | EN358:1999 |

Full body harness incorporated with waist belt

| Model | Attachment points | Applicable standard(s) |
|--------------|--|-------------------------------|
| FP14 | Dorsal D-ring, Side rings on waist belt Length of waist belt = 1170 mm Length of back support= 670 mm | EN361:2002 EN358:1999 |

INSPEC



This is to certify that: -

**Portwest Clothing Ltd
Fields End Business Park, Thurnscoe
South Yorkshire, S63 0JF,
England**

**having been satisfactorily assessed and undertaken to comply with
INSPEC requirements at all times, is entitled to claim
that the activities defined in the associated schedules are carried out
within a management system that complies with: -**

**Article 11.A of the Council Directive relating to
Personal Protective Equipment (89/686/EEC)**

***For and on behalf of INSPEC International Limited
Notified Body 0194***

Julie C. Jones

Certification Manager Date: 11th February 2016



***Certification remains valid until 29th April 2017, providing compliance with
INSPEC's surveillance and assessment programme is maintained.***

***CE mark may only be applied in association with INSPEC's number (0194)
while this certificate is valid and a valid Article 10 EC type-examination
certificate for the product is held.***

Certificate Number: QS0127

Original date of issue: 29th May 2014

For terms and conditions of issue, see page 2

INSPEC International Ltd, 56 Leslie Hough Way, Salford, Gt Manchester M6 6AJ, England



Terms and Conditions

Conditions attached to the issue of this certificate:

- i) The Certified Company shall comply at all times with INSPEC's Regulations governing Quality Management System Certification.
- ii) This Certificate remains the property of INSPEC and may be withdrawn if any of the conditions attached to its issue are not complied with.
- iii) This certificate may be copied or reproduced by the certificate holder, complete and without omissions or additions, and in accordance with INSPEC's terms of business.
- iv) This certificate has been provided in accordance with our standard Terms of Business, which can be viewed at, and printed from:

<http://inspec-international.com/ToB.pdf>

If you have difficulty accessing the Terms of Business, you may contact us for a copy.



SCHEDULE.

Chosen option for assessing non-homogeneity:

3. Selection of additional samples for testing against the reference standard.

| Models/ Family | Product Standard/ EC type-examination certificate Specification |
|---------------------------|--|
| FP35 | EN362:2004 / INSPEC 2664 |
| FP21 | EN354:2010 / INSPEC 2666 |

INDEX

| Item | Status | Issued | Amendment |
|-------------|-----------|--------|--|
| Page 1 to 4 | Withdrawn | 140529 | Initial issue |
| Page 1 to 4 | Withdrawn | 140929 | To add models FP30, FP31, FP35 to EN362:2004 and FP21 to EN354:2010 |
| Page 1 to 4 | Withdrawn | 150401 | To amend the validity date To remove model FP30, FP31 from cert. 2664. To cancel certificate 2618. |
| Page 1 to 4 | Valid | 160311 | Re-issue, amended validity date |

EC TYPE-EXAMINATION CERTIFICATE: 2300

Product description: - Retractable fall arrester with connector

Product identification: - See schedule

Manufacturer: - Portwest Ltd
Portwest House, IDA Business Park,
Castlebar Road., Westport, Co. Mayo,
Ireland

When assessed and examined against harmonised standard EN360:2002 and EN362:2004 are found to be in conformity with Council Directive 89/686/EEC and associated amendments, relating to personal protective equipment.

And

Are manufactured under a Quality Control System which has been satisfactorily assessed as meeting the requirements of Article 11 Section B of the same Directive.

Signed  Date: 12th August 2015

K J Warren, Manager, Certification Services

For and on behalf of INSPEC International Ltd.
56 Leslie Hough Way, Salford, Gt Manchester M6 6AJ, England (Notified Body No: 0194)

Certification remains valid until 24th September 2018, providing compliance with INSPEC's terms and conditions is maintained.

Original date of issue: 17th January 2012



For terms and conditions of issue, see page 2

Terms and Conditions

Reference Documents: -

- | | | | | |
|------|--------------------------|---|---|---------------|
| i) | Test Reports | - | } | Refer TF/1872 |
| ii) | Technical File | - | | |
| iii) | Test and Inspection Plan | - | | |

Conditions attached to the issue of this certificate:

- i) Marking and instructions have been assessed in the English language only. It is the Manufacturers/Authorised Representatives responsibility to obtain and supply language versions acceptable to the country where the product is to be sold.
- ii) Any changes to the product, technical file or quality manual/quality plan shall be immediately notified to INSPEC.
- iii) The Manufacturer/Authorised Representative shall comply at all times with INSPEC's Regulations governing CE Product Certification.
- iv) Satisfactory maintenance of independent certification against Article 11.B of the P.P.E. Directive.
- v) This Certificate remains the property of INSPEC and may be withdrawn if any of the conditions attached to its issue are not complied with.
- vi) This certificate may be copied or reproduced by the certificate holder, complete and without omissions or additions, and in accordance with INSPEC's terms of business.
- vii) This certificate has been provided in accordance with our standard Terms of Business, which can be viewed at, and printed from:

<http://inspec-international.com/ToB.pdf>

If you have difficulty accessing the Terms of Business, you may contact us for a copy.

CERTIFICATION INDEX

| Item | Status | Issued | Amendment |
|-------------|---------------|---------------|---|
| Page 1 to 4 | Withdrawn | 120117 | Initial issue |
| Page 1 to 4 | Withdrawn | 130924 | To change FP40 lanyard length from 3.3M to 2.9M Additional of 5 year validity |
| Page 1 to 4 | Valid | 150812 | Add model: FP40ORR & FP48BKR Amend the manufacturer address & additional address. |

CERTIFICATION SCHEDULE

RETRACTABLE FALL ARRESTER with CONNECTOR

| Model | LENGTH | LANYARD | MAX. LOAD | Product description |
|----------------|--------|---------|-----------|--|
| FP40 | 2.9M | Webbing | 100kg | Use with connector F-11B-15R, RF-240 & RF-241 |
| FP41 | 10.0M | Wire | 100kg | The retractable fall arrester has a swivel mechanism. Use with connector NO-01, RF-240 & RF-241 |
| FP48 | 1.3M | Webbing | 100kg | Use with connector RF-220, RF-240 & RF-241 |
| FP40ORR | 3M | Webbing | 100kg | Use with connector F-11B-15R, RF-240 & RF-241 |
| FP48BKR | 1.35M | Webbing | 100kg | Use with connector F-11B-15R, RF-240 & RF-241 |

CONNECTORS USE WITH RETRACTABLE FALL ARRESTER

Brand: Redwood

| Model | Product description | Class | Major axis strength |
|-----------|---|-------|---------------------|
| F-11B-15R | Snap hook with swivel mechanism 16mm gate opening. | T | 20kN |
| NO-01 | Screw-lock carabiner 12mm gate opening | B | 20kN |
| NO-01-2C | Carabiner with 20mm gate opening | B | 20kN |
| RF-220 | Snap hook with swivel mechanism 16mm gate opening. | T | 20kN |
| RF-240 | Snap hook with swivel mechanism and load indicator, 18mm gate opening. | T | 22kN |
| RF-241 | Snap hook with swivel mechanism 18mm gate opening. | T | 22kN |

Additional address for logistic planning and management:

PORTWEST LTD
13th Floor, Chuang Ye Building,
HaiXi Hi-Tech Industrial Park,
MinHou Country, FuZhou City,
FuJian Province, Republic of China.
P.C 350108.

INSPEC



EC TYPE-EXAMINATION CERTIFICATE: 2664

Product description: - Connectors

Product identification: - See schedule

Manufacturer: - Portwest Clothing Ltd
Fields End Business Park, Thurnscoe,
South Yorkshire, S63 0JF,
England

When assessed and examined against harmonised standard EN362:2004 is found to be in conformity with Council Directive 89/686/EEC and associated amendments, relating to personal protective equipment.

And

Is manufactured under a Production Control System declared as satisfying the requirements of Article 11.A of the same Directive and is subject to an annual independent testing scheme in accordance with Article 11.A of the same Directive

Signed 

Date: 15th September 2014


K J Warren, Manager, Certification Services

For and on behalf of INSPEC International Ltd.
56 Leslie Hough Way, Salford, Gt Manchester M6 6AJ, England (Notified Body No: 0194)

Certification remains valid until 15th September 2019, providing compliance with INSPEC's terms and conditions is maintained.

Original date of issue: 15th September 2014

For terms and conditions of issue, see page 2



Terms and Conditions

Reference Documents: -

- | | | | |
|------|--------------------------|---|--|
| i) | Test Reports | - | INSPEC 2.13.11.18, 2.14.06.02 and 2.14.07.21 |
| ii) | Technical File | - | TF/2664 |
| iii) | Test and Inspection Plan | - | Dated 2014-7-15 and 2014-8-13 |

Conditions attached to the issue of this certificate:

- i) Marking and instructions have been assessed in the English language only. It is the Manufacturers/Authorised Representatives responsibility to obtain and supply language versions acceptable to the country where the product is to be sold.
- ii) Any changes to the product, technical file or quality manual/quality plan shall be immediately notified to INSPEC.
- iii) The Manufacturer/Authorised Representative shall comply at all times with INSPEC's Regulations governing CE Product Certification.
- iv) Satisfactory maintenance of independent certification against Article 11.A of the P.P.E. Directive.
- v) This Certificate remains the property of INSPEC and may be withdrawn if any of the conditions attached to its issue are not complied with.
- vi) This certificate may be copied or reproduced by the certificate holder, complete and without omissions or additions, and in accordance with INSPEC's terms of business.
- vii) This certificate has been provided in accordance with our standard Terms of Business, which can be viewed at, and printed from:

<http://inspec-international.com/ToB.pdf>

If you have difficulty accessing the Terms of Business, you may contact us for a copy.

CERTIFICATION INDEX

| Item | Status | Issued | Amendment |
|-------------|---------------|---------------|------------------|
| Page 1 to 4 | Valid | 140916 | Initial issue |

CERTIFICATION SCHEDULE

Connectors

| Model | Product description | Class | Major axis strength |
|--------------|--------------------------------------|--------------|----------------------------|
| FP30 | Carabiner with 19mm gate opening | B | 25KN |
| FP31 | Carabiner with 21mm gate opening | B | 22.2KN |
| FP35 | Scafflod Hook with 50mm gate opening | A | 25KN |